

Historic, Archive Document

Do not assume content reflects current
scientific knowledge, policies, or practices.

134 P
28.2**POULTRY**U. S. DEPT. OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY

AUG 13 1968

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
June 1968

CURRENT SERIAL RECORDS August 1, 1968

Inspected Poultry - A total of 829,964,000 pounds live weight (chickens, turkeys, and ducks) was inspected for slaughter during June 1968 under the Poultry Inspection Act carried on by the U.S.D.A. This was 4 percent less than the previous month and 14 percent less than June 1967. Part of the decrease from a year earlier is due to a fewer number of slaughter days.

The number of head and pounds (live weight) inspected by classes in June 1968 were young chickens, 197,186,000 head, 691,300,000 pounds; mature chickens, 9,400,000 head, 44,000,000 pounds; fryer-roaster turkeys, 720,000 head, 6,465,000 pounds; young turkeys, 3,919,000 head, 70,774,000 pounds; old turkeys, 523,000 head, 10,242,000 pounds; and ducks, 1,161,000 head, 7,183,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in June totaled 600,345,000 pounds ready-to-cook weight of which 486,645,000 pounds were chilled and 113,700,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 497,137,000 pounds; mature chickens, 28,354,000; fryer-roaster turkeys, 5,037,000 pounds; young turkeys, 56,271,000 pounds; old turkeys, 8,164,000 pounds; ducks, 5,214,000 pounds; and other poultry, 168,000 pounds.

Processed Poultry - Poultry inspected and used for canning and other processed food in June totaled 78,025,000 pounds ready-to-cook weight, compared with 84,489,000 pounds in June 1967. The quantity used in June 1968 consisted of 17,921,000 pounds of young chickens, 30,508,000 pounds of mature chickens, 24,298,000 pounds of turkeys, and 5,298,000 pounds of other poultry.

Cut-up Poultry - Poultry cut-up and packaged in Federally inspected plants during June totaled 118,481,000 pounds ready-to-cook weight compared with 110,404,000 pounds a year earlier. The breakdown by classes for June 1968 consisted of 108,242,000 pounds of young chickens, 271,000 pounds of mature chickens, 9,899,000 pounds of turkeys, and 69,000 pounds of other poultry.

Ante-mortem condemnations amounted to 3,062,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.34 percent; mature chickens, 1.02 percent; fryer-roaster turkeys, 0.18 percent; young turkeys, 0.23 percent; old turkeys, 0.31 percent; and ducks, 0.01 percent.

Post-mortem condemnations in June amounted to 23,913,000 pounds (NYD weight). Condemnations by classes were equivalent to the following percentages of quantities inspected; young chickens, 3.32 percent; mature chickens, 4.41 percent; fryer-roaster turkeys, 1.58 percent; young turkeys, 1.90 percent; old turkeys, 2.62 percent; and ducks, 0.98 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, JUNE 1968 WITH COMPARISONS

NUMBER INSPECTED 3/ MAY 1968 JUNE 1967 JUNE 1968 JAN.-JUNE 1967 JAN.-JUNE 1968	: YOUNG : MATURE :		: TOTAL : FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: ROASTERS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY :
	: 208,927	12,946	221,873	678	2,102	264	3,044	1,151	---	---
	: 218,785	13,755	232,540	1,162	5,964	735	7,861	1,284	---	---
	: 197,186	9,400	206,586	720	3,919	523	5,162	1,161	---	---
	: 1,159,892	87,035	1,246,927	6,596	13,730	1,387	21,713	4,482	---	---
	: 1,139,268	77,473	1,216,741	5,395	11,681	991	18,067	4,312	---	---
POUNDS INSPECTED 4/										
	: 743,379	60,279	803,658	6,188	37,959	5,454	49,601	7,537	252	861,048
	: 764,173	62,771	826,944	10,266	103,891	14,500	128,657	8,246	558	964,405
	: 691,300	44,000	735,300	6,465	70,774	10,242	87,481	7,183	320	830,284
	: 4,084,944	404,877	4,489,821	58,638	255,820	27,498	341,956	28,719	1,841	4,862,337
	: 4,034,133	351,207	4,385,340	48,185	227,833	19,764	295,782	27,448	1,385	4,709,955
AVERAGE LIVEWEIGHTS/										
	: 3.56	4.66	3.62	9.13	18.06	20.67	16.30	6.55	---	---
	: 3.49	4.56	3.56	8.83	17.42	19.73	16.37	6.42	---	---
	: 3.51	4.68	3.56	8.98	18.06	19.57	16.95	6.19	---	---
	: 3.52	4.65	3.60	8.89	18.63	19.83	15.75	6.41	---	---
	: 3.54	4.53	3.60	8.93	19.51	19.95	16.37	6.36	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

MAY 1968, 2,284; JUNE 1967, 1,780; AND JUNE 1968, 1,709.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

MAY 1968, 146; JUNE 1967, 556; AND JUNE 1968, 528.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), JUNE 1968 WITH COMPARISONS 1/

MAY 1968 JUNE 1967 JUNE 1968 JAN.-JUNE 1967 JAN.-JUNE 1968	: YOUNG : MATURE :		: TOTAL : FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: ROASTERS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY :
	: 482,929	30,137	513,066	1,361	8,535	665	10,561	143	13	523,783
	: 49,262	9,094	58,356	3,435	21,396	3,710	28,541	5,231	122	92,250
	: 532,191	39,231	571,422	4,796	29,931	4,375	39,102	5,374	135	616,033
CHILLED										
	: 494,939	31,282	526,221	2,104	14,267	1,404	17,775	42	7	544,045
FROZEN										
	: 53,060	9,480	62,540	5,791	68,708	10,077	84,576	5,886	328	153,330
	: 547,999	40,762	588,761	7,895	82,975	11,481	102,351	5,928	335	697,375
CHILLED										
	: 450,800	21,554	472,354	1,265	11,656	1,245	14,166	108	17	486,645
FROZEN										
	: 46,337	6,800	53,137	3,772	44,615	6,919	55,306	5,106	151	113,700
	: 497,137	28,354	525,491	5,037	56,271	8,164	69,472	5,214	168	600,345
JANUARY-JUNE 1967										
	: 2,602,626	199,825	2,802,451	12,107	44,025	2,307	58,439	739	27	2,861,656
FROZEN										
	: 303,853	64,540	368,393	33,000	159,460	19,505	211,965	19,798	1,036	601,192
	: 2,906,479	264,365	3,170,844	45,107	203,485	21,812	270,404	20,537	1,063	3,462,848
JANUARY-JUNE 1968										
	: 2,583,026	176,131	2,759,157	7,624	43,230	2,392	53,246	966	80	2,813,449
CHILLED										
	: 292,875	52,370	345,245	29,601	137,088	13,373	180,062	18,762	660	544,729
	: 2,875,901	228,501	3,104,402	37,225	180,318	15,765	233,308	19,728	740	3,358,178

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, JUNE 1968 WITH COMPARISONS 3/

	: YOUNG : MATURE :	: TOTAL :	: FRYER- :	: YOUNG :	: OLD :	: TOTAL :	: DUCKS :	: OTHER :	: TOTAL :
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: POULTRY :	: POULTRY :
ANTE-MORTEM									
1,000 POUNDS (LIVEWEIGHT):									
JUNE 1967:	2,393	528	2,921	25	207	32	264	1	3,187
JUNE 1968:	2,393	453	2,846	12	169	32	213	1	3,062
JAN.-JUNE 1967:	11,994	2,608	14,602	155	487	57	699	3	15,306
JAN.-JUNE 1968:	11,795	2,617	14,412	111	523	64	698	5	15,119
PERCENT 1/									
JUNE 1967:	.31	.84	.35	.25	.20	.22	.21	.02	.33
JUNE 1968:	.34	1.02	.38	.18	.23	.31	.24	.01	.36
POST-MORTEM									
1,000 LBS. (N.Y. DRESSED):									
JUNE 1967:	25,348	2,331	27,679	161	1,790	383	2,334	85	30,103
JUNE 1968:	20,577	1,727	22,304	92	1,210	241	1,543	63	23,913
JAN.-JUNE 1967:	163,522	15,832	179,354	966	4,682	775	6,423	328	186,119
JAN.-JUNE 1968:	143,543	14,868	158,411	864	5,229	530	6,623	272	165,320
PERCENT 2/									
JUNE 1967:	3.70	4.16	3.73	1.75	1.92	2.94	2.02	1.15	3.48
JUNE 1968:	3.32	4.41	3.38	1.58	1.90	2.62	1.96	.98	3.21

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, JUNE 1968 WITH COMPARISONS 1/

	: YOUNG CHICKENS :			: MATURE CHICKENS :			: TURKEYS :			: OTHER POULTRY 2/:			: TOTAL POULTRY :	
	: FURTHER : : PROCESSED :	: CUT UP :	: FURTHER : : PROCESSED :	: FURTHER : : CUT UP :	: FURTHER : : PROCESSED :	: FURTHER : : CUT UP :	: FURTHER : : PROCESSED :	: FURTHER : : CUT UP :	: FURTHER : : PROCESSED :	: FURTHER : : CUT UP :	: FURTHER : : PROCESSED :	: FURTHER : : CUT UP :	: FURTHER : : PROCESSED :	: FURTHER : : CUT UP :
POUNDS USED READY-TC-COOK WEIGHT 3/ :														
MAY 1968 :	19,342	118,843	31,033	517	32,232	7,805	6,147	94	88,754	127,259				
JUNE 1967 :	22,547	100,732	29,098	571	26,670	9,048	6,174	53	84,489	110,404				
JUNE 1968 :	17,921	108,242	30,508	271	24,298	9,899	5,298	69	78,025	118,481				
JANUARY-JUNE 1967 :	105,520	588,119	180,133	4,107	151,449	46,108	43,696	408	480,798	638,742				
JANUARY-JUNE 1968 :	137,642	685,859	192,861	4,269	161,324	52,112	38,291	821	530,118	743,061				
LBS. CONDEMNED READY-TC-COOK WEIGHT 3/:														
MAY 1968 :	77	891	123	---	35	---	24	---	259	901				
JUNE 1967 :	87	459	46	---	21	---	19	---	173	498				
JUNE 1968 :	86	1,085	115	---	33	---	91	---	325	1,094				
JANUARY-JUNE 1967 :	370	1,943	134	---	129	---	116	---	749	2,115				
JANUARY-JUNE 1968 :	399	4,999	496	---	136	---	315	---	1,346	6,122				

1/ POUNDS OF WHOLE CARCASS BIRDS CAN BE DERIVED BY SUBTRACTING THE SUM OF FURTHER PROCESSED AND CUT-UP FROM POUNDS CERTIFIED.

2/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".

3/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS			
		(LIVEWEIGHT)		INSPECTED/		(READY-TO-COOK WT.)		POUNDS (NYD)			
		1967	1968	1967	1968	1967	1968	1967	1968	1967	1968
		-THOUSANDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	14,453	13,508	56,117	53,444	3.88	3.96	40,612	38,603	2,033	1,915	4.04
E. N. CENTRAL	2,461	2,452	9,378	8,985	3.81	3.66	6,838	6,575	146	170	1.74
W. N. CENTRAL	4,177	4,538	14,344	15,858	3.43	3.49	10,280	11,297	322	332	2.50
S. ATLANTIC	91,488	82,298	324,578	291,426	3.55	3.54	231,948	208,322	12,827	10,393	4.40
S. CENTRAL	101,227	90,532	341,882	307,810	3.38	3.40	245,754	222,526	9,406	7,426	3.07
WEST	4,979	3,858	17,874	13,777	3.59	3.57	12,567	9,814	614	341	3.83
U. S.	218,785	197,186	764,173	691,300	3.49	3.51	547,999	497,137	25,348	20,577	3.70
MAINE	6,785	6,186	26,160	24,687	3.86	3.99	19,464	18,169	795	903	3.39
PENNSYLVANIA	6,808	6,381	26,642	24,995	3.91	3.92	18,795	17,763	1,162	916	4.87
OHIO	27	---	108	---	3.92	---	74	---	8	---	8.20
INDIANA	1,000	1,118	3,600	3,933	3.60	3.52	2,631	2,905	41	78	1.27
WISCONSIN	1,424	1,322	5,599	4,989	3.93	3.77	4,082	3,626	96	90	1.91
MISSOURI	3,500	3,833	11,845	13,203	3.38	3.44	8,390	9,321	291	291	2.74
DELAWARE	8,400	6,929	31,993	25,618	3.81	3.70	22,645	18,223	1,367	1,058	4.76
MARYLAND	13,334	11,951	50,118	43,824	3.76	3.67	35,939	31,790	2,011	1,554	4.47
VIRGINIA	4,734	6,527	14,773	21,552	3.12	3.30	10,149	14,616	480	842	3.61
NORTH CAROLINA	22,876	22,209	81,802	80,838	3.58	3.64	58,357	58,531	2,744	2,184	3.74
SOUTH CAROLINA	2,552	2,343	8,718	8,012	3.42	3.42	6,170	5,625	354	336	4.52
GEORGIA	37,553	30,337	130,424	104,739	3.47	3.45	93,273	74,622	5,736	4,272	4.90
TENNESSEE	5,994	5,371	20,821	18,158	3.47	3.38	14,828	13,333	797	423	4.28
ALABAMA	25,160	22,722	86,616	78,788	3.44	3.47	62,684	56,385	2,309	2,278	2.97
MISSISSIPPI	15,210	14,363	50,496	48,215	3.32	3.36	37,310	35,957	995	844	2.20
ARKANSAS	33,058	29,291	108,667	97,291	3.29	3.32	76,865	69,555	3,382	2,314	3.47
LOUISIANA	---	4,111	---	14,657	---	3.57	---	---	---	374	---
TEXAS	13,940	12,445	47,934	42,984	3.44	3.45	34,662	31,182	1,171	1,035	2.73
WASHINGTON	1,147	1,081	4,214	4,025	3.67	3.72	2,989	2,855	100	85	2.65
CALIFORNIA	2,744	2,242	9,938	7,966	3.62	3.55	6,932	5,666	353	205	3.95

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1968

REGION AND STATE	TUBER- :CULOSIS:	LEU- :KOSIS:	SEPTI- :CEMIA:	AIRSAC- :CULITIS:	SYNO- :VITIS:	TUMORS:	BRUISES:	CADAVER:	INATON:	OVER- :SCALD:	OTHER:	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	293,418	102,556	39,826	12,530	1,557	2,949	10,769	17,227	1,502	11,943	494,277
E. N. CENTRAL	---	12,891	16,059	6,307	1,055	157	1,448	2,785	5,117	359	776	46,954
W. N. CENTRAL	---	19,811	20,386	20,689	5,244	380	2,495	4,308	8,204	219	3,991	85,727
S. ATLANTIC	---	1,841,004	403,374	282,273	24,968	8,143	31,078	68,385	193,424	17,500	84,742	2,954,891
S. CENTRAL	---	748,112	450,057	363,070	88,318	8,773	32,705	90,681	126,542	13,809	78,858	2,000,925
WEST	---	46,803	17,202	15,546	1,013	177	1,002	2,505	2,979	875	10,424	98,526
U. S.	---	2,962,039	1,009,634	727,711	133,128	19,187	71,677	179,433	353,493	34,264	190,734	5,681,300
MAINE	---	124,037	57,048	9,675	11,216	521	1,507	4,520	8,417	266	3,640	220,847
PENNSYLVANIA	---	162,062	38,239	27,576	873	795	1,110	5,241	7,107	813	7,592	251,408
INDIANA	---	7,827	6,723	2,945	950	50	814	1,306	3,206	238	282	24,341
WISCONSIN	---	5,020	9,266	3,293	102	106	633	1,434	1,851	121	467	22,293
MISSOURI	---	17,830	17,940	20,245	5,193	221	2,174	3,990	6,486	213	1,442	75,734
DELAWARE	---	227,301	37,039	27,882	1,786	487	1,363	6,730	13,881	766	7,445	324,680
MARYLAND	---	325,933	60,892	43,219	4,129	1,023	2,260	6,475	16,387	2,527	3,417	466,262
VIRGINIA	---	182,891	37,974	37,216	2,309	321	2,018	4,847	7,620	1,348	5,388	281,932
NORTH CAROLINA	---	230,893	112,993	73,876	7,387	2,348	10,281	22,934	66,169	5,485	32,976	565,342
SOUTH CAROLINA	---	73,760	10,099	10,177	350	136	1,118	2,320	4,647	1,611	1,476	105,694
GEORGIA	---	779,790	135,205	86,867	8,255	2,895	13,336	22,504	82,632	5,150	31,991	1,168,625
TENNESSEE	---	39,216	21,077	21,770	1,411	368	1,989	3,331	9,115	325	12,180	110,782
ALABAMA	---	345,090	109,551	65,124	5,922	2,434	6,783	16,878	41,371	3,502	15,736	612,391
MISSISSIPPI	---	71,810	21,211	56,363	3,696	1,288	3,825	8,737	14,065	1,259	13,124	195,378
ARKANSAS	---	185,665	185,136	130,882	33,820	2,327	9,983	35,437	38,115	5,567	18,718	645,650
LOUISIANA	---	31,042	30,455	15,362	4,989	484	1,959	5,985	5,947	277	4,745	101,245
TEXAS	---	65,815	70,931	60,004	36,220	1,695	6,813	16,358	14,229	2,813	13,314	288,231
WASHINGTON	---	2,225	4,741	4,324	601	79	291	1,005	874	306	4,032	18,478
CALIFORNIA	---	34,818	9,316	8,960	376	94	373	931	1,348	269	5,662	62,147

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS					
		1967	1968	INSPECTED (LIVWEIGHT)	1967	1968	LIVWEIGHT INSPECTED (READY-TO-COOK WT.)	1967	1968				
										-THOUSANDS-	-POUNDS-	-1,000 POUNDS-	-PERCENT-
1967	1968	1967	1968	1967	1968	1967	1968	1967	1968				
N. ATLANTIC	1,785	998	8,728	5,292	4.89	5.30	5,742	296	168	3.80	3.55		
E. N. CENTRAL	1,653	1,223	6,997	5,310	4.23	4.34	4,495	253	186	4.05	3.93		
W. N. CENTRAL	3,349	2,479	14,630	10,448	4.37	4.22	9,463	563	528	4.31	5.68		
S. ATLANTIC	2,992	2,195	14,397	11,082	4.81	5.05	9,308	444	389	3.46	3.94		
S. CENTRAL	2,260	1,475	11,158	7,668	4.94	5.20	7,468	431	290	4.33	4.26		
WEST	1,716	1,030	6,861	4,200	4.00	4.08	4,286	344	166	5.62	4.41		
U. S.	13,755	9,400	62,771	44,000	4.56	4.68	40,762	2,331	1,727	4.16	4.41		
MAINE	375	215	2,293	1,401	6.11	6.53	1,643	975	55	2.80	4.36		
NEW JERSEY	1,063	450	4,582	1,870	4.31	4.16	2,841	1,141	196	4.80	4.39		
PENNSYLVANIA	137	67	771	471	5.62	7.01	515	323	24	3.59	2.54		
OHIO	510	326	2,092	1,385	4.10	4.25	1,332	885	81	4.34	4.01		
INDIANA	626	394	2,673	1,606	4.27	4.08	1,736	1,044	85	3.53	3.93		
ILLINOIS	340	388	1,427	1,606	4.20	4.14	892	977	60	4.74	4.27		
MINNESOTA	1,464	1,082	5,884	3,969	4.02	3.67	3,723	2,476	220	4.52	6.22		
MISSOURI	804	558	4,447	3,194	5.53	5.72	2,992	2,147	143	4.00	4.89		
DELAWARE	40	35	299	276	7.48	7.93	209	195	8	2.87	2.99		
MARYLAND	718	522	2,947	2,122	4.11	4.06	1,934	1,361	95	3.62	4.29		
VIRGINIA	137	92	900	675	6.55	7.37	634	474	20	2.46	3.44		
NORTH CAROLINA	396	307	2,555	2,218	6.46	7.23	1,705	1,500	77	3.37	3.32		
GEORGIA	869	698	4,343	3,513	5.00	5.03	2,825	2,189	114	3.94	3.37		
FLORIDA	456	---	1,830	---	4.01	---	1,084	---	66	4.02	---		
ALABAMA	51	49	404	397	7.94	8.05	283	280	26	7.06	5.32		
MISSISSIPPI	1,406	806	5,849	3,558	4.16	4.41	3,911	2,372	238	4.56	4.23		
ARKANSAS	272	192	2,007	1,217	7.39	6.35	1,345	826	62	3.46	4.13		
LOUISIANA 3/	---	28	---	211	---	7.45	---	147	---	10	5.11		
OKLAHOMA 3/	---	87	---	583	---	6.69	---	419	---	12	2.27		
TEXAS	396	298	1,946	1,596	4.92	5.35	1,267	1,036	76	4.41	4.70		
WASHINGTON	171	99	732	406	4.28	4.12	471	249	25	3.94	6.21		
CALIFORNIA	1,416	904	5,649	3,691	3.99	4.08	3,513	2,275	300	5.96	4.28		

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1968

REGION AND STATE	:TUBER- :		: LEU- :		: SEPTI- :		: AIRSAC- :		: SYNO- :		: TUMORS :		: BRUISES:		: CADAVER:		: CONTAM-:		: OVER- :		: OTHER :		TOTAL NO.
	:CULOSIS:	NO.	:KOSIS :	NO.	:CEMTA :	NO.	:CULITIS :	NO.	:VITIS :	NO.	:TUMORS :	NO.	:BRUISES:	NO.	:CADAVER:	NO.	:CONTAM-:	NO.	:SCALD :	NO.	:OTHER :	NO.	
N. ATLANTIC	67	1,823	13,956	31	466	8,095	472	1,550	2,284	408	4,018	33,170							408		4,018		33,170
E. N. CENTRAL	449	3,355	15,757	249	175	15,646	1,139	1,143	2,914	77	5,456	46,360							77		5,456		46,360
W. N. CENTRAL	3,443	6,687	33,130	1,026	397	40,985	10,150	4,122	11,074	809	19,080	130,903							809		19,080		130,903
S. ATLANTIC	21	4,074	27,441	846	778	18,847	2,245	3,870	11,383	571	8,550	78,626							571		8,550		78,626
S. CENTRAL	---	6,622	21,816	357	363	14,982	1,765	1,232	5,193	104	9,623	62,057							104		9,623		62,057
WEST	---	993	18,829	13	18	17,626	1,526	1,112	2,459	136	3,881	46,593							136		3,881		46,593
U. S.	3,980	23,554	130,929	2,522	2,197	116,181	17,297	13,029	35,307	2,105	50,608	397,709							2,105		50,608		397,709
MAINE	---	729	4,186	14	180	601	140	186	1,166	15	427	7,644							15		427		7,644
NEW JERSEY	---	655	7,043	5	118	5,145	245	1,165	689	110	3,103	18,278							110		3,103		18,278
PENNSYLVANIA	67	167	647	3	---	488	41	18	189	---	284	1,904							---		284		1,904
OHIO	87	1,067	1,746	3	124	4,333	350	117	967	27	2,509	11,330							27		2,509		11,330
INDIANA	14	1,013	6,345	1	29	5,760	238	190	709	18	405	14,722							18		405		14,722
ILLINOIS	241	1,065	6,013	229	12	4,498	375	779	821	23	2,014	16,070							23		2,014		16,070
MINNESOTA	1,734	1,565	9,974	170	79	20,807	2,921	2,272	4,270	351	15,865	60,008							351		15,865		60,008
MISSOURI	191	1,327	12,778	151	262	4,947	4,313	702	1,029	19	533	26,252							19		533		26,252
DELAWARE	---	148	638	14	4	55	6	22	46	---	15	948							---		15		948
MARYLAND	21	994	8,575	21	93	5,509	646	1,265	1,347	69	610	19,150							69		610		19,150
VIRGINIA	---	309	1,598	9	41	598	96	80	231	3	15	2,980							3		15		2,980
NORTH CAROLINA	---	785	3,459	157	368	2,346	383	277	1,124	16	996	9,911							16		996		9,911
GEORGIA	---	790	7,070	107	193	5,939	493	784	3,084	273	4,528	23,261							273		4,528		23,261
ALABAMA	---	137	964	5	15	138	17	26	1,002	10	90	2,404							10		90		2,404
MISSISSIPPI	---	586	9,354	---	49	12,010	1,397	621	2,891	78	5,605	32,591							78		5,605		32,591
ARKANSAS	---	1,014	4,756	313	119	278	105	88	572	8	322	7,575							8		322		7,575
LOUISIANA	---	75	586	---	47	40	29	23	130	1	240	1,171							1		240		1,171
OKLAHOMA	---	179	1,274	8	26	83	63	39	70	1	37	1,780							1		37		1,780
TEXAS	---	4,599	4,725	31	103	2,420	144	418	458	6	3,194	16,098							6		3,194		16,098
WASHINGTON	---	186	2,191	7	4	238	294	133	621	10	998	4,682							10		998		4,682
CALIFORNIA	---	684	16,404	6	14	17,314	1,211	936	1,800	124	2,883	41,376							124		2,883		41,376

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVEWEIGHT)	AVERAGE :		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)	POST-MORTEM CONDEMNATIONS					
			LIVEWEIGHT :	INSPECTED :		POUNDS (NYD)	PERCENT 2/				
			1967	1968		1967	1968	1967	1968		
-THOUSANDS-			-POUNDS-		-1,000 POUNDS-		-PERCENT-				
			1967	1968	1967	1968	1967	1968			
N. ATLANTIC	124	42	1,695	614	13.67	14.62	1,321	481	11	4	.72
E. N. CENTRAL	359	234	6,551	4,595	18.25	19.60	5,272	3,591	82	99	2.40
W. N. CENTRAL	1,530	722	24,295	11,692	15.88	16.19	19,543	9,316	324	170	1.61
S. ATLANTIC	870	801	15,469	14,784	17.78	18.47	12,236	11,688	343	305	2.47
S. CENTRAL	1,202	1,107	21,585	20,435	17.96	18.46	17,006	16,136	383	429	2.33
WEST	1,879	1,013	34,296	18,654	18.25	18.42	27,597	15,059	647	203	1.21
U. S.	5,964	3,919	103,891	70,774	17.42	18.06	82,975	56,271	1,790	1,210	1.92
PENNSYLVANIA	114	38	1,552	511	13.65	13.41	1,215	399	11	3	.83
OHIO	169	76	3,137	1,481	18.57	19.56	2,537	1,133	35	32	2.42
INDIANA	43	---	644	---	14.87	---	516	---	6	---	---
WISCONSIN	140	123	2,631	2,370	18.73	19.32	2,108	1,875	39	50	2.33
MINNESOTA	699	290	11,333	4,893	16.21	16.87	9,127	3,931	129	62	1.27
IOWA	389	236	6,557	3,954	16.86	16.72	5,259	3,098	89	64	1.52
MISSOURI	420	175	6,058	2,433	14.42	13.89	4,887	1,955	94	38	1.73
NEBRASKA	22	---	338	---	15.38	---	262	---	12	---	---
VIRGINIA	288	263	5,862	5,731	20.33	21.80	4,481	4,466	194	140	3.68
NORTH CAROLINA	557	413	9,363	6,887	16.82	16.66	7,569	5,485	149	115	1.76
TEXAS	462	342	8,946	6,576	19.36	19.22	7,080	5,234	171	128	2.17
COLORADO	228	94	3,510	1,503	15.42	15.95	2,900	1,235	36	12	1.13
UTAH	196	111	3,375	2,024	17.24	18.20	2,693	1,614	38	12	.67
CALIFORNIA	1,374	740	26,233	14,021	19.09	18.95	21,065	11,328	563	164	2.39

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1968

REGION AND STATE	TUBER- CULOSIS:	LEU- KOSIS :	SEPTI- CEMIA :	AIRSAC- CULITIS :	SYNO- VITIS :	TUMORS :	BRUISES :	CADAVER:	CONTAM-:		OVER-:	OTHER :	TOTAL
									NO.	NO.			
N. ATLANTIC	---	1	125	25	1	1	7	4	30	2	21	217	
E. N. CENTRAL	---	49	2,481	515	29	36	50	281	354	19	63	3,877	
W. N. CENTRAL	---	41	4,826	2,277	69	22	183	336	371	94	165	8,384	
S. ATLANTIC	---	99	6,645	4,328	1,390	44	175	298	867	43	464	14,353	
S. CENTRAL	---	58	13,120	5,198	3,431	87	333	322	1,188	75	824	24,636	
WEST	---	38	6,203	580	520	130	102	428	362	42	93	8,498	
U. S.	---	286	33,400	12,923	5,440	320	850	1,669	3,172	275	1,630	59,965	
PENNSYLVANIA	---	---	95	21	1	---	6	3	24	2	21	173	
OHIO	---	2	973	151	15	5	32	17	156	---	25	1,376	
WISCONSIN	---	10	1,254	320	13	28	17	208	152	13	3	2,018	
MINNESOTA	---	1	1,974	868	4	2	37	164	157	55	28	3,290	
IOWA	---	20	1,533	671	48	18	98	71	116	24	86	2,685	
MISSOURI	---	17	1,076	717	7	1	29	92	85	15	51	2,090	
VIRGINIA	---	46	2,638	84	84	8	55	27	142	36	6	5,835	
NORTH CAROLINA	---	22	2,896	1,019	810	29	85	223	591	4	276	5,979	
TEXAS	---	46	2,950	1,134	769	48	198	73	299	---	765	6,258	
COLORADO	---	---	257	119	1	9	24	20	33	---	2	465	
UTAH	---	---	166	31	37	---	15	73	13	4	11	350	
CALIFORNIA	---	38	5,121	389	370	110	35	296	294	36	69	6,758	

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVWEIGHT)	AVERAGE LIVWEIGHT INSPECTED/100 (READY-TO-COOK WT.)	TOTAL POUNDS CERTIFIED 1967 : 1968	POST-MORTEM CONDEMNATIONS POUNDS (NYD) : PERCENT 2/ 1967 : 1968
N. ATLANTIC	3	31	8.94	24	1
E. N. CENTRAL	64	570	8.91	435	17
W. N. CENTRAL	365	3,450	9.45	2,731	45
S. ATLANTIC	453	3,939	8.70	2,964	71
S. CENTRAL	56	467	8.34	347	16
WEST	221	1,809	8.19	1,394	20
U. S.	1,162	10,266	8.83	7,895	161
WISCONSIN	19	185	9.85	146	3
MINNESOTA	340	3,240	9.53	2,563	42
VIRGINIA	453	3,939	8.70	2,964	71
TEXAS	31	248	7.87	191	4
CALIFORNIA	188	1,564	8.33	1,199	19

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1968

REGION AND STATE	TUBER- CULOSIS	LEU- KOSIS	SEPTI- CEMIA	AIRSAC- CULITIS	SYNO- VITIS	TUMORS	BRUISES	CADAVER: INATON	CONTAM- SCALD	OVER- OTHER	TOTAL NO.
N. ATLANTIC	---	12	20	---	---	---	---	---	---	---	33
E. N. CENTRAL	---	2	756	884	31	44	44	61	2	3	1,817
W. N. CENTRAL	---	2	2,313	554	11	6	19	354	14	49	3,415
S. ATLANTIC	---	1	1,736	750	38	2	49	205	6	14	2,829
S. CENTRAL	---	---	82	29	---	---	---	7	1	---	119
WEST	---	1	820	51	100	16	47	121	49	23	1,228
U. S.	---	18	5,727	2,268	180	8	128	749	72	89	9,441
WISCONSIN	---	2	756	884	31	44	44	61	2	3	1,817
MINNESOTA	---	2	2,303	543	10	6	14	350	14	43	3,373
VIRGINIA	---	1	1,663	738	23	2	48	198	6	5	2,712
CALIFORNIA	---	---	710	45	99	---	13	103	48	18	1,072

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED	PCUNDS INSPECTED (LIVEWEIGHT)	AVERAGE LIVEWEIGHT INSPECTED	TOTAL POUNDS		POST-MORTEM CONDEMNATIONS	
				CERTIFIED (READY-TO-COOK WT.)	POUNDS (NYD)	PERCENT 2/ 1967 : 1968	PERCENT 2/ 1967 : 1968
	1967 : 1968	1967 : 1968	1967 : 1968	1967 : 1968	1967 : 1968	1967 : 1968	1967 : 1968
	-THOUSANDS-	-1,000 POUNDS-	-POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-PERCENT-	-PERCENT-
N. ATLANTIC	2	44	184	22.00	20.44	1	1
E. N. CENTRAL	94	1,853	513	19.71	20.48	13	13
W. N. CENTRAL	171	3,367	2,458	19.69	19.20	72	72
S. ATLANTIC	62	1,180	1,118	19.03	19.22	40	40
S. CENTRAL	173	3,347	2,685	19.35	19.17	60	60
WEST	233	4,709	3,284	20.21	20.13	55	55
U. S.	735	14,500	10,242	19.73	19.57	241	241
OHIO	13	---	258	---	19.65	6	6
MINNESOTA	129	2,477	1,866	19.17	19.06	54	54
NORTH CAROLINA	60	1,140	883	18.99	18.99	31	31
TEXAS	133	2,534	---	19.06	---	---	---
CALIFORNIA	107	2,038	986	19.00	18.87	17	17

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1968

REGION AND STATE	TUBER- CULOSIS	LEU- KOSIS	SEPTI- CEMIA	AIRSAC- CULITIS	SYNO- VITIS	TUMORS	BRUISES		CADAVER		CONTAM- INATION		OVER- SCALD		OTHER		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	40	4	---	1	---	---	1	11	---	---	---	---	4	61	61
E. N. CENTRAL	---	12	161	134	8	1	41	25	17	25	---	---	---	---	36	435	435
W. N. CENTRAL	---	14	1,643	747	13	28	52	212	82	212	45	45	12	12	36	2,848	2,848
S. ATLANTIC	---	50	383	646	40	158	12	75	23	75	---	---	---	---	236	1,623	1,623
S. CENTRAL	---	10	1,554	421	26	38	18	299	25	299	2	2	430	430	2	2,823	2,823
WEST	---	23	1,559	110	34	223	173	75	34	75	2	2	10	10	10	2,243	2,243
U. S.	---	109	5,340	2,062	121	449	296	697	182	697	49	49	728	728	10,033	10,033	10,033
OHIO	---	---	69	47	1	---	12	16	5	16	---	---	---	---	36	187	187
MINNESOTA	---	10	1,192	646	11	18	47	197	54	197	16	16	12	12	36	2,203	2,203
NORTH CAROLINA	---	43	321	521	38	40	6	61	14	61	---	---	---	---	154	1,198	1,198
CALIFORNIA	---	7	558	2	---	176	2	33	6	33	---	---	---	---	8	792	792

OFFICIAL BUSINESS

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.